




FIG. 1A (Prior Art)



09777287 020604

122



125

122A

FIG. 2A  
(Prior Art)

FIG. 2B is a schematic diagram of a user interface form. It features a rectangular box at the top labeled "TEXT". Below this box is a dashed rectangular area containing two radio buttons. The left radio button is selected (indicated by a dot) and is labeled "YES" below it. The right radio button is unselected and is labeled "NO" below it. A handwritten label "134C" points to the dashed area, and "134A" points to the "YES" radio button. Below the dashed area is a handwritten label "134B". At the bottom of the form is a rounded rectangular button labeled "NEXT", with a handwritten label "~134D" next to it.

FIG. 2B

FIG. 2C is a schematic diagram of a user interface form. It features a rectangular box at the top labeled "TEXT", with a handwritten label "~138A" above it. Below the "TEXT" box is a dashed rectangular area containing two input fields. The left input field is labeled "Row" and "Column" to its left, with a handwritten label "138B" pointing to the dashed area. The right input field is labeled "Current" to its right, with a handwritten label "138C" pointing to it. Below the dashed area is a rectangular input field labeled "user ID" to its left, with a handwritten label "138E" below it. At the bottom of the form is a rounded rectangular button labeled "NEXT", with a handwritten label "~138D" next to it.

FIG. 2C

0977287 020601  
109020 282460





FIG. 3

0977387 020604



F16.4